Special Alkene Bonus: Important material you will need to know!

Alkene stability part 1: Z (cis) groups larger than H atoms will crunch into each other causing steric strain.



Z



E

(no steric strain)

Alkene stability part 2: For reasons we are not able to tell you, more substituted alkenes have more stable (stronger) pi bonds than alkenes with more H atoms on their sp^2-hybridized C atoms (despite there being steric strain present in the most substituted alkenes).

Strongest Pi Bond





Weakest Pi Bond

Time Capsule: Zaitsev's rule follows this trend!!

Addition of H-X to an Alkene



Summary:

Regiochemistry:

Stereochemistry:

Example:





$$k = \text{reaction rate} = Ae^{-E_a/RT}$$



Appendix 3



Bond Dissociation Enthalpies

Bond dissociation enthalpy (BDE) is defined as the amount of energy required to break a bond homolytically into two radicals in the gas phase at 25°C.

$$A—B \rightarrow A^{\cdot} + B^{\cdot} \qquad \Delta H^0 \text{ [kJ (kcal)/mol]}$$

Bond	ΔH^0	Bond	ΔH^0	Bond	ΔH^0
H—H bonds		**C—C multiple bonds**		**C—Br bonds**	
H—H	435 (104)	CH_2=CH_2	727 (174)	CH_3—Br	301 (72)
D—D	444 (106)	HC≡CH	966 (231)	C_2H_5—Br	301 (72)
				$(CH_3)_2CH$—Br	309 (74)
X—X bonds		**C—H bonds**		$(CH_3)_3C$—Br	305 (73)
F—F	159 (38)	CH_3—H	439 (105)	CH_2=$CHCH_2$—Br	247 (59)
Cl—Cl	247 (59)	C_2H_5—H	422 (101)	C_6H_5—Br	351 (84)
Br—Br	192 (46)	$(CH_3)_2CH$—H	414 (99)	$C_6H_5CH_2$—Br	263 (63)
I—I	151 (36)	$(CH_3)_3C$—H	405 (97)		
		CH_2=CH—H	464 (111)	**C—I bonds**	
H—X bonds		CH_2=$CHCH_2$—H	372 (89)	CH_3—I	242 (58)
H—F	568 (136)	C_6H_5—H	472 (113)	C_2H_5—I	238 (57)
H—Cl	431 (103)	$C_6H_5CH_2$—H	376 (90)	$(CH_3)_2CH$—I	238 (57)
H—Br	368 (88)	HC≡C—H	556 (133)	$(CH_3)_3C$—I	234 (56)
H—I	297 (71)			CH_2=$CHCH_2$—I	192 (46)
		C—F bonds		C_6H_5—I	280 (67)
O—H bonds		CH_3—F	481 (115)	$C_6H_5CH_2$—I	213 (51)
HO—H	497 (119)	C_2H_5—F	472 (113)		
CH_3O—H	439 (105)	$(CH_3)_2CH$—F	464 (111)	**C—N single bonds**	
C_6H_5O—H	376 (90)	C_6H_5—F	531 (127)	CH_3—NH_2	355 (85)
				C_6H_5—NH_2	435 (104)
O—O bonds		**C—Cl bonds**			
HO—OH	213 (51)	CH_3—Cl	351 (84)	**C—O single bonds**	
CH_3O—OCH_3	159 (38)	C_2H_5—Cl	355 (85)	CH_3—OH	385 (92)
$(CH_3)_3CO$—$OC(CH_3)_3$	159 (38)	$(CH_3)_2CH$—Cl	355 (85)	C_6H_5—OH	468 (112)
		$(CH_3)_3C$—Cl	355 (85)		
C—C single bonds		CH_2=$CHCH_2$—Cl	288 (69)		
CH_3—CH_3	378 (90)	C_6H_5—Cl	405 (97)		
C_2H_5—CH_3	372 (89)	$C_6H_5CH_2$—Cl	309 (74)		
CH_2=CH—CH_3	422 (101)				
CH_2=$CHCH_2$—CH_3	322 (77)				
C_6H_5—CH_3	435 (104)				
$C_6H_5CH_2$—CH_3	326 (78)				

<u>Organic Chemistry</u> is the study of carbon-containing molecules.

This class has two points.

The first point of the class is to understand the organic chemistry of living systems. We will teach you how to think about and understand the most amazing things on the planet!!

Water is essential for life, you will learn why water has such special properties. 8/28/24

You will learn the secret structural reason proteins, the most important molecular machines in our bodies, can support the chemistry of life. 9/11/24

You will learn why when you take Advil for pain, exactly half of what you take works, and the other half does nothing. 9/25/24

You will learn how toothpaste works.

You will learn how a single chlorofluorocarbon refrigerant molecule released into the atmosphere can destroy many, many ozone molecules, leading to an enlargement of the ozone hole.

You will learn how medicines like Benadryl, Seldane, and Lipitor work.

You will learn how Naloxone is an antidote for an opioid overdose.

You will learn why Magic Johnson is still alive, decades after contracting HIV.

You will learn how MRI scans work.

The second point of organic chemistry is the synthesis of complex molecules from simpler ones by making and breaking specific bonds.

You will learn how to understand movies of reaction mechanisms like alkene hydration.

You will learn reactions that once begun, will continue reacting such that each product molecule created starts a new reaction until all the starting material is used up.

You will learn reactions that can make antifreeze from vodka.

You will learn a reaction that can make nail polish remover from rubbing alcohol.

You will learn how to look at a molecule and accurately predict which atoms will react to make new bonds, and which bonds will break during reactions.

You will learn how to analyze a complex molecule's structure so that you can predict ways to make it via multiple reactions starting with less complex starting molecules.

The 4 Most Important Mechanistic Elements

The following are expressed from the point of view of the carbon-containing molecule taking part in a reaction

1) **Make a bond** between a nucleophile and electrophile.

2) **Break a bond** to give stable molecules or ions.

3) **Add a proton**

4) **Take a proton away**

Mechanism Summary

The following questions and mechanistic elements are described from the point of view of the carbon-containing reagent, written in the form of a flowchart.




Transition states
Activation Energy (E_a)
(**Opportunity**)
‡
‡
Intermediate
Reactants
Driving Force
(**Motive**)
Products
Potential Energy
Reaction Coordinate


Potential Energy
H
H
C
C
H
H
C
H
H
H—Br
Reaction Coordinate

Acid-catalyzed Hydration of an Alkene





Products

Summary:

Regiochemistry:

Stereochemistry:

Example:



H_2O

H_2SO_4 (catalytic amount)