

NAME (Print): _____

Chemistry 310M/318M
Dr. Brent Iverson
1st Midterm
October 1, 2009

SIGNATURE: _____

Please print the
first three letters
of your last name
in the three boxes

--	--	--

Please Note: This test may be a bit long, but there is a reason. I would like to give you a lot of little questions, so you can find ones you can answer and show me what you know, rather than just a few questions that may be testing the one thing you forgot. **I recommend you look the exam over and answer the questions you are sure of first**, then go back and try to figure out the rest. Also make sure to **look at the point totals** on the questions as a guide to help budget your time.

Note: You must have your answers written in pen if you want a regrade!!!!

Honor Code

The core values of the University of Texas at Austin are learning, discovery, freedom, leadership, individual opportunity, and responsibility. Each member of the University is expected to uphold these values through integrity, honesty, trust, fairness, and respect toward peers and community.

(Your signature)

Page	Points
1	(26)
2	(12)
3	(16)
4	(20)
5	(20)
6	(15)
7	(11)
8	(23)
9	(24)
10	(14)
11	(28)
12	(21)
13	(22)
14	(17)
15	(18)
Total	(287)
%	
T Score	
HW	
Total Grade	

(HW score + Exam Grade) \Longrightarrow

Signature _____

Pg 1 _____(26)

1. (8 points) What is the most important question in Organic Chemistry?

2. (6 pts each) For the following molecular formulas, draw complete Lewis line structures in which all atoms (even H atoms) are drawn, lines are used as bonds, and all lone pairs are drawn.



5. (5 pts each) For the following IUPAC names, draw the appropriate line angle drawing (you can ignore R and S for this).



A)

5-ethyl-4-isopropyl-2-methyloctane

B)


***cis*-1-*tert*-butyl-3-methylcyclohexane**

6. (3 pts each) Each structure shown below is drawn in the form normally used in textbooks and the scientific literature. However, as discussed in class, there are structures that better represent the actual electronic distribution of each species. In the box provided, draw the structures that better represent the true situations.





7. (5pts each) The following molecules are best represented as the hybrid of contributing structures. **Draw the second important contributing structure** in the space provided, including all lone pairs and formal charges. **For the structure on the left, use arrows to indicate the movement of electrons to give the structure you drew.** Finally, if one of the two contributing structures makes a dominant (major) contribution to the resonance hybrid, **draw a circle around the dominant (major) contributor.** You might want to read these directions again to make sure you know what we want.



A.





B.



C.




D.





8. (10 pts each) The following molecules are best represented as the hybrid of three contributing structures. Draw the second and third important contributing structures in the spaces provided, including all lone pairs and formal charges. For the two structures on the left in each problem, use arrows to indicate the movement of electrons to give the structures you drew. There is no need to draw any circles around any of these contributing structures. You might want to read these directions again to make sure you know what we want.

A.







B.



9. (1 pt each) For the following TRUE and FALSE questions, CIRCLE ALL THE TRUE STATEMENTS. This is not meant to be tricky, but please read the statements carefully so that you do not make any careless errors. This page is worth a lot of points, so take your time.


- A. Resonance contributing structures are used when more than one structure are required to describe accurately how the electrons and charges are distributed in a molecule
- B. Resonance contributing structures do not represent equilibrating structures, rather the hybrid (blending) of them is the true molecular representation.
- C. When drawing resonance contributing structures you generally move atom nuclei and sigma bonds.
- D. When drawing resonance contributing structures, you should move pi bonds (*one* bond of a double or triple bond) and lone pair electrons, not atom nuclei or sigma bonds.
- E. Equivalent resonance contributing structures make equal contributions to the resonance hybrid.
- F. For unequal resonance contributing structures: full octets are favored, more covalent bonds are favored, fewer charges are favored, and a negative charge on more electronegative atom (also positive charge on less electronegative atom) are favored.
- G. Electrons have certain properties of particles and certain properties of waves.
- H. For organic chemistry, it is best to think of electron density as particles, described by Newton's laws.
- I. For organic chemistry, it is best to think of electron density as waves, described by wave equations.
- J. According to the valence bond approach, the atomic orbitals on each atom are combined (hybridized) first, and bonds are derived from overlap of hybridized orbitals.
- K. An sp^3 hybridized carbon atom has only two major hybridized orbitals, arranged in a bent geometry.
- L. An sp^3 hybridized carbon atom has only one major hybridized orbital.
- M. An sp^3 hybridized carbon atom has four major hybridized orbitals, arranged in a tetrahedral geometry.
- N. A sigma bond occurs when the majority of the electron density is found on the bond axis.
- O. A pi bond occurs when the majority of the electron density is found on the bond axis.

10. (11 pts) In the box provided, write the hybridization state (sp^3 , etc.) of the atom indicated by the arrow.






11. (14 pts) You knew this was going to be on the test. In the spaces provided, indicate the type of bond, and the hybridized orbitals that overlap to form the bond.

For example, one answer could be: $\sigma_{\text{Csp}^3\text{-H}1s}$




12. (3 pts each) For the following molecules, use the dipole moment symbol \longleftrightarrow to show the direction of the molecular dipole moment in all molecules that have an overall molecular dipole. Note for this one you do NOT need to draw the individual bond dipole moments, just the overall molecular dipole moment,




For the molecule above list the molecular dipole for the conformation shown.

13. (4 pts each) For each pair of molecules, circle the one that has LESS STRAIN, then put an "X" in the box under all the types of strain that explain(s) your answer:




vs.





Angle strain

Torsional strain


Steric strain





vs.





vs.




vs.







vs.










vs.




14. (7 pts each) For the following cyclohexane derivatives, draw the two alternative chair conformations. IF there is a difference in stability, draw a circle around the more stable conformation. If there is not difference in stability, do not circle either chair form.




15. (2 pts each) Examine the following structures. For each molecule with a chiral center, assign the stereochemistry then write "R" or "S" as appropriate in the box provided below each structure. For all molecules that have no chiral centers, leave the box blank.




16. (14 pts) For the following molecules, identify all the chiral centers. Put an asterisk (*) next to all chiral centers you find.



Tamiflu
(anti-flu medication)





Relenza
(anti-flu medication)







Testosterone



17. (3 pts each) For each pair of molecules, on the line provided state whether they are (1) **enantiomers**, (2) **diastereomers**, (3) **constitutional isomers**, or (4) **different conformations of the same molecule**. Each pair of molecules will best be described by one of these four terms.



Relationship:



























17. (continued) (3 pts each) For each pair of molecules, on the line provided state whether they are (1) **enantiomers**, (2) **diastereomers**, (3) **constitutional isomers**, or (4) **different conformations of the same molecule**. Each pair of molecules will best be described by one of these four terms.

Relationship:










18. (2 pts. each) Fill in the blanks with the word or number that best completes the following statements.

A. A molecule with 3 chiral centers will have a maximum of _____ possible stereoisomers.


B. Diastereomers are _____ that are not _____.

C. A mirror plane will not be found in even the most symmetric conformation of a _____ molecule, although enantiomers are non-identical _____ images of each other.


19. Here is an "apply what you know" problem. The following monosubstituted cyclohexane derivatives have been analyzed and they exhibit the equatorial-to-axial ratios shown.



Use the information about the three cyclohexane derivatives to analyze the staggered conformations of the following molecule:




A. (9 pts) On the templates provided below, draw Newman projections of all three of the staggered conformations of the above molecule (from the perspective indicated) as the central bond rotates.




B. (8 pts) On the above Newman projections, draw a circle around the staggered conformation that is lowest in energy (has the least strain) and in the space provided below briefly explain your answer.


20. Here is another "apply what you know" problem. Following are three six carbon alkanes along with their boiling points



2,3-Dimethylbutane
bp 58°C



Hexane
bp 69°C




Cyclohexane
bp 81°C

A. (6 pts) Given what you know about attraction between alkanes, explain why hexane has a higher boiling point than 2,3-dimethylbutane.

B. (6 pts) Given what you know about attraction between alkanes, explain why cyclohexane has a higher boiling point than hexane.

C. (6 pts) Given that tetradecafluorohexane has a lower boiling point than hexane, what can you surmise about fluorine atoms compared to hydrogen atoms.



Tetradecafluorohexane
bp 59°C