NAME (Print):		······································	Chemistry 320N 3rd Midterm Exam	
EID			April 17, 2025	
SIGNATURE:				
	Please print the first three letters of your last name in the three boxes			


**Please Note:** Please take your time. You have three hours to take this exam. Please do not rush, we want you to show us everything you have learned this semester so far! Making careless mistakes is not good for anyone! If you find yourself getting anxious because of a problem, skip it and come back. Please do not second guess yourself! Keep track of the questions worth a lot of points. (This does not mean they are hard, it just means we think they cover important material.)


One last thing: I recommend you close your eyes for a moment, then take some nice deep breaths before you begin. YOU GOT THIS!

FINALLY, DUE TO SOME UNFORTUNATE RECENT INCIDENTS YOU ARE NOT ALLOWED TO INTERACT WITH YOUR CELL PHONE IN ANY WAY. IF YOU TOUCH YOUR CELL PHONE DURING THE EXAM YOU WILL GET A "0" NO MATTER WHAT YOU ARE DOING WITH THE PHONE. PUT IT AWAY AND LEAVE IT THERE!!!

## **Student Honor Code**


"As a student of The University of Texas at Austin, I shall abide by the core values of the University and uphold academic integrity."





Compo	ound	pK <sub>a</sub>
Hydrochloric acid	<u>H</u> -Cl	-7
Protonated alcohol	⊕ RCH <sub>2</sub> O <mark>H<sub>2</sub></mark>	-2
Hydronium ion	<u>H</u> ₃O <sup>⊕</sup>	-1.7
Carboxylic acids	O ∥ R−CO- <u>H</u>	3-5
Thiols	RCH₂S <mark>H</mark>	8-9
Ammonium ion	H <sub>4</sub> N⊕	9.2
β-Dicarbonyls	O O       RC-C <mark>H<sub>2</sub>·</mark> CR'	10
Primary ammonium	⊕ H <sub>3</sub> NCH <sub>2</sub> CH <sub>3</sub>	10.5
β-Ketoesters	O O       RC-C <mark>H<sub>2</sub></mark> ·COR'	11
β-Diesters	O O       ROC-C <u>H</u> 2-COR'	13
Water	HO <mark>H</mark>	15.7
Alcohols	RCH₂O <mark>H</mark>	15-19
Acid chlorides	RC <mark>H₂</mark> -CCI	16
Aldehydes	RC <u>H<sub>2</sub></u> -CH	18-20
Ketones	∥ RC <mark>H</mark> ₂-CR'	18-20
Esters	O    RC <mark>H</mark> 2-COR'	23-25
Terminal alkynes	RC≡C— <mark>H</mark>	25
LDA	$\underline{H}$ -N( $i$ -C $_3$ H $_7$ ) $_2$	40
Terminal alkenes	$R_2C = C - H$	44
Alkanes	CH₃CH₂- <mark>H</mark>	51

**1.** (5 pts) What is the most important question in organic chemistry?



**2.** (10 pts) Amides are best represented as the hybrid of three contributing structures. Draw the second and third important contributing structures in the spaces provided. (No need to draw any arrows for this.)

No question here because there is no nomenclature. Just decipher the OChem puns and smile!

Signatur	Pg 2(26)
2 (2 nta	anah). Fill in the appropriate girale to indicate if the statement is True or Felse.
<b>3.</b> (2 pts	each) Fill in the appropriate circle to indicate if the statement is True or False
<ul><li>○ True</li><li>○ False</li></ul>	For a reaction that is under thermodynamic control, the major product is the product that is lower in energy.
<ul><li>○ True</li><li>○ False</li></ul>	For a reaction that is under thermodynamic control, the major product is the product that is derive from the lower energy intermediate.
<ul><li>○ True</li><li>○ False</li></ul>	For a reaction that is under kinetic control, the major product is the product that is lower in energy
○ True ○ False	For a reaction that is under kinetic control, the major product is the product that is derived from the lower energy intermediate.
<ul><li>○ True</li><li>○ False</li></ul>	An enamine can be formed when a secondary amine reacts with a ketone or aldehyde at pH 4.
<ul><li>○ True</li><li>○ False</li></ul>	Enamines can be alkylated by reaction with primary haloakanes, or acylated by reaction with acid chlorides.
<ul><li>○ True</li><li>○ False</li></ul>	Molecules appear to our eye to be a combination of the wavelengths reflected (not absorbed)
<ul><li>○ True</li><li>○ False</li></ul>	Molecules appear to our eye to be a combination of the wavelengths absorbed (not reflected)
<ul><li>○ True</li><li>○ False</li></ul>	The greater the number of pi bonds in conjugation, the larger the energy difference between filled and unfilled orbitals, so the shorter the wavelength of light that is absorbed.
<ul><li>○ True</li><li>○ False</li></ul>	The greater the number of pi bonds in conjugation, the smaller the energy difference between filled and unfilled orbitals, so the longer the wavelength of light that is absorbed.
<ul><li>○ True</li><li>○ False</li></ul>	Phosphorescence (glow in the dark) happens when the excited electron has flipped spins, and must reflip back before entering the original filled orbital while emitting a photon.
<ul><li>○ True</li><li>○ False</li></ul>	Fluorescence occurs when there are not vibrations possible (a rigid molecule) so the photon is emitted as the electron goes back to ground state.
<ul><li>○ True</li><li>○ False</li></ul>	Atoms with a positive charge, a negative charge or an unpaired electron are all highly stabilized by resonance delocalization when attached directly to an aromatic ring.


**4.** (26 pts) The following molecules are best represented as the hybrid of contributing structures. **Draw the other important contributing structure(s)** in the space(s) provided, including all lone pairs and formal charges. **For the structure(s) on the left, use arrows to indicate the movement of electrons to give the structure you drew.** No arrows for the structures on the right.

A.

В.

C.

D.




**5.** (2 pts each) For each pair of molecules, fill in the circle to indicate which one is the stronger acid.

A.

- Stronger Acid
- OH
- O Stronger Acid

В.



- OStronger Acid

OH

O Stronger Acid

C.

LDA-H

D.

Stronger Acid

- O Stronger Acid
- **Stronger Acid**
- O Stronger Acid

C. OН


OStronger Acid

OH


- O Stronger Acid

**Stronger Acid** 


- O Stronger Acid
- **6.** (2 pts each) For each of the following molecules we have seen in reaction mechanisms, fill in the circle to indicate whether the molecule acts as a nucelophile or electrophile. For this one, you can ignore acid or base considerations and just focus on the nuclophile/electrophile properties of the molecules.



- **○** Nucleophile
- **○** Electrophile
- - Nucleophile
  - Electrophile



D.



- **Nucleophile**
- Electrophile
- E.
  - - Nucleophile
    - **○** Electrophile

- **Nucleophile**
- Electrophile

**7.** (1 pt each) Indicate whether each of the following molecules or ions is aromatic or not aromatic by filling in the appropriate circle. If the molecule is antiaromatic, fill in the "not aromatic" circle.

Aromatic

Not aromatic

(<del>+</del>)


Aromatic

Not aromatic

...<u>.</u>

Aromatic

Not aromatic



Aromatic

Not aromatic

Ö

Aromatic

Not aromatic

N:

Aromatic

Not aromatic

Aromatic

Not aromatic

N.

Aromatic Aromatic

Not aromatic

Aromatic

Not aromatic


Aromatic

Not aromatic


(<del>+</del>)

Aromatic

Not aromatic



AromaticNot aromatic



Aromatic

Not aromatic

**8.** (1 pt each) For each arrow, on the line provided write the type of atomic orbital that contains the lone pair of electrons indicated. Appropriate answers might be sp,  $sp^2$ ,  $sp^3$  or 2p.

**9.** (1 pt each) For each arrow, on the line provided write the hybridization state of the atom indicated. Appropriate asswers might be sp,  $sp^2$ , or  $sp^3$ .

**10.** (9 pts) Complete the following mechanism. Be sure to show arrows to indicate movement of <u>all</u> electrons of the first structure only, write <u>all</u> lone pairs, <u>all</u> formal charges, and <u>all</u> the products for each step. Remember, I said <u>all</u> the products for each step. IF A NEW CHIRAL CENTER IS CREATED IN AN INTERMEDIATE OR PRODUCT, MARK IT WITH AN ASTERISK AND LABEL THE MOLECULE AS RACEMIC IF APPROPRIATE.

**Tautomerization** (no need to draw arrows on the intermedidate structure above)

Product(s)

11. (2 pts each) In each of the boxes over an arrow, write the **minimum number of equivalents** of the specified reagent required to carry out the reaction shown to completion. If only a catalytic amount is needed, write "CAT". Note: You must assume the carbonyl compound starting material is initially present in an amount of 1.0 equivalent.

12. (26 pts) Complete the mechanism for the following Michael reaction. Be sure to show arrows to indicate movement of <u>all</u> electrons, write <u>all</u> lone pairs, <u>all</u> formal charges, and <u>all</u> the products for each step. Remember, I said <u>all</u> the products for each step. IF A NEW CHIRAL CENTER IS CREATED IN AN INTERMEDIATE OR PRODUCT, MARK IT WITH AN ASTERISK AND LABEL THE MOLECULE AS RACEMIC IF APPROPRIATE. In the boxes provided, write which of the 4 mechanistic elements describes each step (make a bond, break a bond, etc.).

Tautomerization

Signature			

13. (3 or 5 pts.) Write the predominant product that will occur for each transformation. If a new chiral center is created and a racemic mixture is formed, you must draw both enantiomers and write "racemic" under the structure. Use wedges ( ) and dashes ( ) to indicate stereochemistry. For these, you do not have to worry about metal salts in the products.

CI	
AlCl <sub>3</sub>	

Pg 10	,	13)
1 g 10		ردى

14. (3 or 5 pts.) Write all of the organic product(s) that will occur for each transformation. If a new chiral center is created and a racemic mixture is formed, you must draw both enantiomers and write "racemic" under the structure. Use wedges ( ) and dashes ( ) to indicate stereochemistry. For these, you need to write all of the products of the reactions except for the products containing metals.

o	HO <sup>⊖</sup>
L	(catalytic)
H	(assume no dehydration)

0 n)	
---------	--

15. (7 or 9 pts.) Write all of the organic product(s) that will occur for each transformation. If a new chiral center is created and a racemic mixture is formed, you must draw both enantiomers and write "racemic" under the structure. Use wedges ( ) and dashes ( ) to indicate stereochemistry. For these, you need to write all of the products of the reactions except for the products containing metals.

-	

16. These are synthesis questions. You need to show how the starting material can be converted into the product(s) shown. You may use any reactions we have learned provided that the product(s) you draw for each step is/are the predominant one(s). Show all the reagents you need. Show each molecule synthesized along the way and be sure to pay attention to the regiochemistry and stereochemistry preferences for each reaction. For this exam you do not need to draw each stereoisomer with wedges and dashes, you can just mark all chiral centers with an asterisk and write "racemic" when appropriate. All the carbons of the product must come from carbons of the starting material.

16. These are synthesis questions. You need to show how the starting material can be converted into the product(s) shown. You may use any reactions we have learned provided that the product(s) you draw for each step is/are the predominant one(s). Show all the reagents you need. Show each molecule synthesized along the way and be sure to pay attention to the regiochemistry and stereochemistry preferences for each reaction. For this exam you do not need to draw each stereoisomer with wedges and dashes, you can just mark all chiral centers with an asterisk and write "racemic" when appropriate. All the carbons of the product must come from carbons of the starting material.

Pg 14	(7)
1517	('.
	Pg 14

16. These are synthesis questions. You need to show how the starting material can be converted into the product(s) shown. You may use any reactions we have learned provided that the product(s) you draw for each step is/are the predominant one(s). Show all the reagents you need. Show each molecule synthesized along the way and be sure to pay attention to the regiochemistry and stereochemistry preferences for each reaction. You must draw all stereoisomers formed, and use wedges and dashes to indicate chirality at each chiral center. Write racemic when appropriate. All the carbons of the product must come from carbons of the starting material.

16. These are synthesis questions. You need to show how the starting material can be converted into the product(s) shown. You may use any reactions we have learned provided that the product(s) you draw for each step is/are the predominant one(s). Show all the reagents you need. Show each molecule synthesized along the way and be sure to pay attention to the regiochemistry and stereochemistry preferences for each reaction. For this exam you do not need to draw each stereoisomer with wedges and dashes, you can just mark all chiral centers with an asterisk and write "racemic" when appropriate. All the carbons of the product must come from carbons of the starting material.

