

NAME (Print): _____





SIGNATURE: _____

**Chemistry 320N
Dr. Brent Iverson
Final Practice
April 23, 2024**

**Please print the
first three letters
of your last name
in the three boxes**

--	--	--


1. For the following carbohydrates, draw a circle around all of the D-carbohydrate(s), and draw a rectangle around all of the L-carbohydrate(s). On the two first two lines below the four structures, indicate whether each is an aldose or ketose, and whether each is a pentose or hexose, respectively. On the third line below each structure, construct a compound name from all of these elements. For example, answers might be L-ketopentose or L-aldohehexose. Finally, on the fourth line under each structure write the specific name (i.e. D-glucose) for each structure. You should use table 25.1 or other structures named in the book to identify these exact sugar names. (You will NOT need to know them for the test).



(aldose or ketose?)

(pentose or hexose?)






(compound name)

(exact name)
(look up but don't memorize)






For the disaccharide of glucose on the left, draw a circle around any glucose residue that is/are α . Draw a box around any glucose residue that is/are β . Next, draw a box around the glycosidic bond linkage. Finally, circle all anomeric carbon atoms.

Describe the above linkage using the terminology presented in class: _____

2. Many of the reactions we have learned this semester involve steps with nucleophiles reacting with electrophiles. For the following examples of steps in mechanisms we have seen this semester, 1) Draw the intermediate that will be formed when the two molecules react. 2) Draw all formal charges and lone pairs on the intermediate. 3) Draw arrows on the starting materials to indicate the flow of electrons that leads to the intermediate. 4) Finally, draw a box around the nucleophile and a circle around the electrophile in each case. There is no need to draw products or any further steps of the mechanisms. You might want to read these directions again so you know what we want.




3. Complete the mechanism for the following aldol reaction. Be sure to show arrows to indicate movement of all electrons, write all lone pairs, all formal charges, and all the products for each step. Remember, I said all the products for each step. IF A NEW CHIRAL CENTER IS CREATED IN AN INTERMEDIATE OR THE PRODUCTS, MARK IT WITH AN ASTERISK and WRITE RACEMIC IF RELEVANT. In the boxes provided adjacent to the first two sets of arrows, write which of the four basic mechanistic elements are involved (i.e. "Make a bond", "Add a proton", etc.)




Products


5. Complete the mechanism for the following cyclic acetal formation reaction. Be sure to show arrows to indicate movement of all electrons, write all lone pairs, all formal charges, and all the products for each step. In the boxes provided adjacent to the arrows, write which of the four basic mechanistic elements are involved (i.e. "Make a bond", "Add a proton", etc.)




6. Fill in the box with the product or products that are missing from the following chemical reaction equations. When a racemic mixture is formed, you must write "racemic" under both structures EVEN THOUGH YOU DREW BOTH STRUCTURES.




7. In the boxes provided, write the hybridization state of the given atoms.




8. In the boxes provided, according to the valence bond approach, write the type of atomic orbital that contains the indicated lone pair of electrons..




9. Write the predominant product or products that will occur for each transformation. Assume each reagent only adds once to the ring. If predominantly ortho/para products are predicted, you must draw both.




10. A) On the upper lines, rank the following with respect to relative anion stability, with a **1 under the least stable anion** (i.e. most reactive with a proton) and a **4 under the most stable anion** (i.e. least reactive with an proton). On the lower lines, rank the following with respect to leaving group ability, with a **1 under the worst leaving group**, and a **4 under the best leaving group**.






B) Rank the following in terms of **relative reactivity with a nucleophile without acid catalysis**. Place a **1 under the least reactive** and a **4 under the most reactive species**.





11. In each of the boxes over an arrow, write the **minimum number of equivalents** of the specified reagent required to carry out the reaction shown **to completion**. If only a catalytic amount is needed, write "CAT". Note: **You must assume the carbonyl compound starting material is initially present in an amount of 1.0 equivalent**.



12. You might find these are harder so take your time. Write the predominant product or products that will occur for each transformation. If a new chiral center is created and a racemic mixture is formed, mark the chiral center with an asterisk "*" and write "racemic" under the structure. If ortho/para products are made, you must draw both. Note, for this problem, aldols can dehydrate if heated in dilute acid.




Be sure to indicate stereochemistry of the products on this next one.




13. Show reagents and intermediates synthesized along the way that allow you to produce the product from the given starting material. Assume you can isolate either the ortho or para product in pure form, even though both are usually produced together.

(13 pts)




14. Using any reagents turn the starting material into the indicated product. All the carbons in the product must come from the given starting materials. Draw all molecules synthesized along the way. When it doubt, draw the molecule! **NOTE: For this one, you are not allowed to separate complex mixtures along the way and pull out just the isomers you want. In other words, the product isomers shown must be the only predominant isomers you make during your synthesis.**

(16 pts)




15. Show reagents and intermediates synthesized along the way that allow you to produce the product from the given starting material. Assume you can isolate either the ortho or para product in pure form, even though both are usually produced together.

(19 pts)




16. Using any reagents turn the starting material into the indicated product. All the carbons in the product must come from the given starting materials. Draw all molecules synthesized along the way. When in doubt, draw the molecule! Note, for these last two, you might not need to use all three starting materials

(34 pts)



17. Using any reagents turn the starting material into the indicated product. All the carbons in the product must come from the given starting material or starting materials. Draw all molecules synthesized along the way. When in doubt, draw the molecule!

(23 pts)



18. Using any reagents turn the starting material into the indicated product. All the carbons in the product must come from the given starting material or starting materials. Draw all molecules synthesized along the way. When in doubt, draw the molecule!

(21 pts)

